EAST Search History

· O-6	[, , , , ,			5	D	T:
Ref #.		Search Query	DBs	Default Operator	Plurals	Time Stamp
! S1	3	("20020111459" "20030232273" "555897 <u>1</u> "). PN.	US-PGPUB; USPAT	OR	OFF	2006/10/05 12:43
S2	6407	POLYHYDROXYSTYRENE\$10 OR POLY adj HYDROXYSTYRENE\$10 OR POLY adj HYDROXY adj STYRENE\$10 OR POLYHYDROXY adj STYRENE\$10 OR POLYVINYLPHENOL\$10 OR POLYVINYL adj PHENOL\$10 OR POLY adj VINYL adj PHENOL\$10 OR POLY adj VINYLPHENOL\$10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/05 12:45
S3	902	\$adamantyl\$ and S2	US-PGPUB;	OR	OFF	2006/10/05 12:47
		•	USPAT; USOCR; FPRS; EPO; JPO; DERWENT;			
			IBM_TDB			
S4 	544	\$adamantyl\$ and S2 and (acetyl or ketal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/05 12:47
S5	668	\$adamantyl\$ and S2 and 430/270.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/10/05 13:37
S6	424	\$adamantyl\$ and S2 and (acetyl or ketal) and 430/270.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/05 12:48
S7 	1586	S2 and 430/270.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/05 13:37
S8 	744	S2 and 430/270.1.ccls. AND (ACETAL OR KETAL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/05 13:38
S9	249	S2 SAME (ACETAL OR KETAL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/05 16:03

EAST Search History

			•			
S10	. 110	S2 SAME (ACETAL OR KETAL) AND 430/270. 1.CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/05 13:40
S11	1586	S2 AND 430/270.1.CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/05 13:40
S12	0	S2 SAME (ACETAL OR KETAL) same naphthyl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF [.]	2006/10/05 16:03
S13	40	S2 and (ACETAL OR KETAL) same naphthyl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ·	2006/10/05 16:43
S14	122	S2 and (ACETAL OR KETAL) same adamantyl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/05 16:44
S15	3	S2 same (ACETAL OR KETAL) same adamantyl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/05 16:46
S16	1	S2 same (ACETAL OR KETAL) same norbornyl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/05 16:46
S17	1	S2 same (ACETAL OR KETAL) same norborn\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/05 17:05
S18		S2 same norbornyloxy\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/05 17:05

EAST Search History

• .			•			
S19	192	norbornyloxy\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/05 17:06
S32	1	("6133412").PN.	US-PGPUB; USPAT	OR	OFF	2006/10/06 17:46
S33	0	("\$ADAMANT\$NEAR10OXY").PN.	US-PGPUB; USPAT	OR	OFF	2006/10/06 17:47
S34	960	ADAMANT\$ AND (POLYHYDROXYSTYRENE\$10 OR POLY adj HYDROXYSTYRENE\$10 OR POLY adj HYDROXY adj STYRENE\$10 OR POLYHYDROXY adj STYRENE\$10 OR POLYVINYLPHENOL\$10 OR POLYVINYL adj PHENOL\$10 OR POLY adj VINYL adj VINYLPHENOL\$10)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/10/06 19:25
S35	72	ADAMANT\$ SAME (POLYHYDROXYSTYRENE\$10 OR POLY adj HYDROXYSTYRENE\$10 OR POLY adj HYDROXY adj STYRENE\$10 OR POLYHYDROXY adj STYRENE\$10 OR POLYVINYLPHENOL\$10 OR POLYVINYL adj PHENOL\$10 OR POLY adj VINYL adj VINYLPHENOL\$10)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 19:36
Š36 i	4.	("3515552" "3536489" "5348838" "6280897"). PN.	US-PGPUB; USPAT	OR	OFF	2006/10/06 19:36
,S37	1	("20020156316").PN.	US-PGPUB; USPAT	OR	OFF	2006/10/08 10:25
S38	1	("20020156316").PN.	US-PGPUB; USPAT	OR	OFF	2006/10/08 10:25

10/553,083

* * * STN Columbus

FILE 'HOME' ENTERED AT 14:49:00 ON 02 JAN 2007

=> file caplus COST IN U.S. DOLLARS

FULL ESTIMATED COST

SINCE FILE ENTRY SESSION 0.21 0.21

FILE 'CAPLUS' ENTERED AT 14:49:12 ON 02 JAN 2007 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 2 Jan 2007 VOL 146 ISS 2 FILE LAST UPDATED: 1 Jan 2007 (20070101/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/infopolicy.html

=> s jp11002902/pn

. 1 JP11002902/PN

=> d all

ANSWER 1 OF 1 CAPLUS COPYRIGHT 2007 ACS on STN

1999:23513 CAPLUS <<LOGINID::20070102>> ΑN

130:146227 DN

Entered STN: 12 Jan 1999 ED

Radiation-sensitive composition useful as chemically amplified positive-working resist

Iwanaga, Shinichiro; Tanabe, Takayoshi; Kobayashi, Eiichi; Ohta, Yoshihisa ΙN

PAJSR Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 13 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

IC ICM G03F007-039

ICS G03F007-004; G03F007-033; H01L021-027

74-5 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)

Section cross-reference(s): 38

FAN.CNT 1

PATENT NO. KIND DATE APPLICATION NO. DATE

. 🕞

19990106 ** JP 1997-152412 JP 11002902 Α 19970610 <--JP 3709657 B2 20051026 PRAI JP 1997-152412 19970610 CLASS PATENT NO. CLASS PATENT FAMILY CLASSIFICATION CODES ____ JP 11002902 ICM G03F007-039 ICS G03F007-004; G03F007-033; H01L021-027 IPCI G03F0007-039 [ICM, 6]; G03F0007-004 [ICS, 6]; G03F0007-033 [ICS,6]; H01L0021-027 [ICS,6] GΙ

 $\begin{array}{c} + CH_2 - C + \\ + CH_2 - C + \\ - CH_2 - C + \\$

AB The title composition contains (a) a copolymer having repeating units I and II (R1, R2 = H or Me; R3 = H, C1-10 chain alkyl, C3-10 cyclic alkyl, C6-10 aryl, C7-11 aralkyl; R4, R5 = C1-10 chain alkyl, C1-10 halogenated alkyl, C3-10 cyclic alkyl, C6-10 aryl, C7-11 aralkyl, 2 groups of R3-5 may link each other to form a 5- to 7-membered ring), (b) another copolymer having repeating units I and III (R6 = H or Me; Ra = H or C1-10 alkyl), and (c) a radiation-sensitive acid-generator. The composition sensitive toward various kinds of radiations shows stable processability and good storage stability and provides high resolution patterns with good profile.

ST radiation resist hydroxystyrene copolymer; acid generator radiation sensitive resist

III

IT Resists

(radiation-sensitive; radiation-sensitive resist composition containing hydroxystyrene copolymer derivative and acid generator)

IT 13612-83-4 136003-78-9, Triphenylsulfonium trifluoromethanesulfonate 220006-30-4

RL: TEM (Technical or engineered material use); USES (Uses) (acid generator; radiation-sensitive resist composition containing hydroxystyrene copolymer derivative and acid generator)

IT 109-92-2DP, Ethyl vinyl ether, ethers with poly(hydroxystyrene) 110-87-2DP, ethers with poly(hydroxystyrene) 764-47-6DP, Propyl vinyl ether, ethers with poly(hydroxystyrene) 53746-03-5DP, p-Acetoxystyrene-styrene copolymer, hydrolyzed 59269-51-1DP, Poly(hydroxystyrene), ethers 219690-46-7DP, p-Butoxystyrene-styrene copolymer, hydrolyzed

RL: PNU (Preparation, unclassified); TEM (Technical or engineered material

· S117763

use); PREP (Preparation); USES (Uses)
 (radiation-sensitive resist composition containing hydroxystyrene copolymer
 derivative and acid generator)

=> FIL REGISTRY

COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION FULL ESTIMATED COST 6.33 6.12 DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE TOTAL ENTRY SESSION CA SUBSCRIBER PRICE -0.78-0.78

FILE 'REGISTRY' ENTERED AT 14:50:20 ON 02 JAN 2007 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 1 JAN 2007 HIGHEST RN 916582-62-2 DICTIONARY FILE UPDATES: 1 JAN 2007 HIGHEST RN 916582-62-2

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 30, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/ONLINE/UG/regprops.html

=> S' 219690-46-7/RN

L2 1 219690-46-7/RN

=> SET NOTICE 1 DISPLAY

NOTICE SET TO 1 U.S. DOLLAR FOR DISPLAY COMMAND SET COMMAND COMPLETED

=> D L2 SQIDE 1-

YOU HAVE REQUESTED DATA FROM 1 ANSWERS - CONTINUE? Y/(N): Y THE ESTIMATED COST FOR THIS REQUEST IS 6.55 U.S. DOLLARS DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N: Y

L2 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2007 ACS on STN

RN 219690-46-7 REGISTRY

CN Benzene, 1-butoxy-4-ethenyl-, polymer* with ethenylbenzene (9CI) (CA INDEX NAME)

by Primary Examiner Cynthia Hamilton

S11/110763

OTHER CA INDEX NAMES: Benzene, ethenyl-, polymer with 1-butoxy-4-ethenylbenzene (9CI) OTHER NAMES: p-Butoxystyrene-styrene copolymer (C12 H16 O . C8 H8) xMF CI PMS PCT Polystyrene SR CA STN Files: CA, CAPLUS LCDT.CA CAplus document type: Patent RLD.P Roles for non-specific derivatives from patents: PREP (Preparation); USES (Uses) CM1 CRN 105337-03-9 CMF C12 H16 O n-BuO. $CH = CH_2$ CM 2 100-42-5 CRN CMF C8 H8 H2C - CH - Ph 1 REFERENCES IN FILE CA (1907 TO DATE) 1 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA 1 REFERENCES IN FILE CAPLUS (1907 TO DATE) => SET NOTICE LOGIN DISPLAY NOTICE SET TO OFF FOR DISPLAY COMMAND SET COMMAND COMPLETED => => d his (FILE 'HOME' ENTERED AT 14:49:00 ON 02 JAN 2007) FILE 'CAPLUS' ENTERED AT 14:49:12 ON 02 JAN 2007 L11 S JP11002902/PN FILE 'REGISTRY' ENTERED AT 14:50:20 ON 02 JAN 2007 L2 1 S 219690-46-7/RN m



SET NOTICE 1 DISPLAY SET NOTICE LOGIN DISPLAY *

=> log y COST IN U.S. DOLLARS

SINCE FILE ENTRY TOTAL

FULL ESTIMATED COST

2.40

SESSION 8.73

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

CA SUBSCRIBER PRICE

ENTRY

SESSION

0.00

-0.78

STN INTERNATIONAL LOGOFF AT 14:50:45 ON 02 JAN 2007